

IAPMO R&T OCEANA

7-11 Fullard Road, Narre Warren, Victoria 3805, Australia



IAPMO R&T Oceana is a product certification body which inspects and arranges for the independent laboratory testing of samples taken from the manufacturer's stock or from the market or a combination of both, to verify compliance of the requirements of applicable Standards and Specifications. This activity is coupled with periodic surveillance of the manufacturer's factory and any major subcontractor's site/s as well as the assessment of the manufacturer's Quality Assurance System. This certification is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO R&T Oceana of the product acceptance by Authorities Having Jurisdiction.

CERTIFICATE OF CONFORMITY

IAPMO R&T Oceana hereby grants to:

Atlas Filtri s.r.l

Via Pierobon, 32, Limena, PD 35010 Italy

the right to use the WaterMark in accordance with the ABCB Manual for the WaterMark Certification Scheme;– Australian Standards; WaterMark Technical Specifications; and the Plumbing Code of Australia; only in respect of the certified product as described in the WaterMark Certificate of Conformity – Schedule of Certified Product (Refer also IAPMO Product Listing Directory). The Certificate is granted subject to the rules governing the WaterMark Certification Scheme and the Terms and Conditions of the Approved User Agreement and IAPMO Oceana's WaterMark Governance Rules.

Evaluated to:

AS/NZS 3497-1998 (Inc Amdt 1)

Drinking water treatment units-Plumbing requirements

Manufacturer:

Refer to Licence Holder

Licence No.: WM-022909

First Certified: 7 April 2020

Certification Date: 28 May 2021

Expiry Date: 6 April 2025


CEO, The IAPMO Group

This WaterMark certification is for the period indicated herein and is void after the date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO R&T Oceana, or any evidence of non-compliance with applicable Standards, Specifications or of inferior workmanship, may be deemed sufficient cause for revocation of this certification. Reproduction of or reference to this certificate for advertising purposes may be made only by specific written permission of IAPMO R&T Oceana. Any alteration of this certificate could be grounds for revocation of this certification.

"This certificate is issued by a JAS-ANZ accredited Conformity Assessment Body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate."



WATERMARK CERTIFICATE OF CONFORMITY

SCHEDULE OF CERTIFIED PRODUCT



Certificate Holder
Atlas Filtri s.r.l

A.B.N.:
Via Pierobon, 32, Limena, PD 35010 Italy

Manufacturer
Refer to Licence Holder

Standard
AS/NZS 3497-1998 (Inc Amdt 1)
Drinking water treatment units-Plumbing requirements

Licence No. WM-022909

Certification Date: 28 May 2021

Expiry Date: 6 April 2025

First Certified: 7 April 2020


| Brand Name | Model Name | Model ID | Product Type | Product Description | Application | Inlet/Outlet | Classification | Operating Pressure | Operating Temperature | Flow Rate |
|-----------------|--|----------|--|---|-----------------------|--------------|--|----------------------|-----------------------|-----------------|
| Rain Harvesting | TRIPLE ACTION FILTRATION SYSTEM 10" SLIM | WFRW11 | Water filters and water treatment appliances | 10" triple action filtration system (Slim) | POE filter system | 3/4" BSP | Particulate removal, chlorine, taste and odour reduction | 1205 kPa 175 psi MAX | from 4 to 45°C | 5000 l/hour MAX |
| Rain Harvesting | TRIPLE ACTION FILTRATION SYSTEM 20" SLIM | WFRW12 | Water filters and water treatment appliances | 20" triple action filtration system (Slim) | POE filter system | 3/4" BSP | Particulate removal, chlorine, taste and odour reduction | 1205 kPa 175 psi MAX | from 4 to 45°C | 5000 l/hour MAX |
| Rain Harvesting | TRIPLE ACTION FILTRATION SYSTEM 10" LARGE | WFRW13 | Water filters and water treatment appliances | 10" triple action filtration system (Large) | POE filter system | 1" BSP | Particulate removal, chlorine, taste and odour reduction | 1205 kPa 175 psi MAX | from 4 to 45°C | 5700 l/hour MAX |
| Rain Harvesting | TRIPLE ACTION FILTRATION SYSTEM 20" LARGE | WFRW14 | Water filters and water treatment appliances | 20" triple action filtration system (Large) | POE filter system | 1" BSP | Particulate removal, chlorine, taste and odour reduction | 1205 kPa 175 psi MAX | from 4 to 45°C | 5700 l/hour MAX |
| Rain Harvesting | WHOLE HOUSE TWO-STAGE FILTRATION SYSTEM 10" LARGE | WFRW21 | Water filters and water treatment appliances | Whole house two stage filtration system | POE filter system | 1" BSP | Particulate removal, chlorine, taste and odour reduction | 1205 kPa 175 psi MAX | from 4 to 45°C | 5700 l/hour MAX |
| Rain Harvesting | WHOLE HOUSE TWO-STAGE FILTRATION SYSTEM 20" LARGE | WFRW22 | Water filters and water treatment appliances | Whole house two stage filtration system | POE filter system | 1" BSP | Particulate removal, chlorine, taste and odour reduction | 1205 kPa 175 psi MAX | from 4 to 45°C | 5700 l/hour MAX |
| Rain Harvesting | WHOLE HOUSE SELF-CLEANING TWO-STAGE FILTRATION SYSTEM 10" SLIM | WFRW23 | Water filters and water treatment appliances | 10" Whole house self-cleaning two stage filtration system | POE filter system | 3/4" BSP | Particulate removal, chlorine, taste and odour reduction | 1205 kPa 175 psi MAX | from 4 to 45°C | 5000 l/hour MAX |
| Rain Harvesting | WHOLE HOUSE SELF-CLEANING THREE-STAGE FILTRATION SYSTEM 10" SLIM | WFRW31 | Water filters and water treatment appliances | 10" Whole house self-cleaning three stage filtration system | POE filter system | 3/4" BSP | Particulate removal, chlorine, taste and odour reduction | 1205 kPa 175 psi MAX | from 4 to 45°C | 5000 l/hour MAX |
| Rain Harvesting | MULTI-ACTION FILTER CARTRIDGE 10" SLIM | WFRC11 | Water filters and water treatment appliances | 10" Multi-Action Filter Slim Cartridge | Replacement cartridge | N/A | Particulate removal, chlorine, taste and odour reduction | N/A | from 4 to 45°C | 240 l/hour |
| Rain Harvesting | MULTI-ACTION FILTER CARTRIDGE 20" SLIM | WFRC12 | Water filters and water treatment appliances | 20" Multi-Action Filter Slim Cartridge | Replacement cartridge | N/A | Particulate removal, chlorine, taste and odour reduction | N/A | from 4 to 45°C | 450 l/hour |

| Brand Name | Model Name | Model ID | Product Type | Product Description | Application | Inlet/Outlet | Classification | Operating Pressure | Operating Temperature | Flow Rate |
|-----------------|---|---------------------------------|--|--|-----------------------|--------------|--|----------------------|-----------------------|-----------------|
| Rain Harvesting | MULTI-ACTION FILTER CARTRIDGE 10" LARGE | WFRC13 | Water filters and water treatment appliances | 10" Multi-Action Filter Large Cartridge | Replacement cartridge | N/A | Particulate removal, chlorine, taste and odour reduction | N/A | from 4 to 45°C | 720 l/hour |
| Rain Harvesting | MULTI-ACTION FILTER CARTRIDGE 20" LARGE | WFRC14 | Water filters and water treatment appliances | 20" Multi-Action Filter Large Cartridge | Replacement cartridge | N/A | Particulate removal, chlorine, taste and odour reduction | N/A | from 4 to 45°C | 1620 l/hour |
| Rain Harvesting | TRIPLE ACTION GAC Filter cartridge 10" SLIM | WFRC21 | Water filters and water treatment appliances | 10" Triple Action GAC Cartridge | Replacement cartridge | N/A | Particulate removal, chlorine, taste and odour reduction | N/A | from 4 to 45°C | 600 l/hour |
| Rain Harvesting | TRIPLE ACTION GAC Filter cartridge 20" SLIM | WFRC22 | Water filters and water treatment appliances | 20" Triple Action GAC Cartridge | Replacement cartridge | N/A | Particulate removal, chlorine, taste and odour reduction | N/A | from 4 to 45°C | 1200 l/hour |
| Rain Harvesting | HEAVY-DUTY SEDIMENT CARTRIDGE 10" SLIM | WFRC31 | Water filters and water treatment appliances | 10" Heavy-Duty Sediment Cartridge (Slim) | Replacement cartridge | N/A | Particulate removal | N/A | from 4 to 45°C | 2000 l/hour |
| Rain Harvesting | HEAVY-DUTY SEDIMENT CARTRIDGE 20" SLIM | WFRC32 | Water filters and water treatment appliances | 20" Heavy-Duty Sediment Cartridge (Slim) | Replacement cartridge | N/A | Particulate removal | N/A | from 4 to 45°C | 3000 l/hour |
| Rain Harvesting | HEAVY-DUTY SEDIMENT CARTRIDGE 10" LARGE | WFRC33 | Water filters and water treatment appliances | 10" Heavy-Duty Sediment Cartridge (Large) | Replacement cartridge | N/A | Particulate removal | N/A | from 4 to 45°C | 2500 l/hour |
| Rain Harvesting | HEAVY-DUTY SEDIMENT CARTRIDGE 20" LARGE | WFRC34 | Water filters and water treatment appliances | 20" Heavy-Duty Sediment Cartridge (Large) | Replacement cartridge | N/A | Particulate removal | N/A | from 4 to 45°C | 4000 l/hour |
| Atlas Filtri | BIG F PRO | 156 | Water filters and water treatment appliances | 10" twin stage filtration system with 56W UV lamp | POE filter system | 1" BSP | Particulate removal | 1205 kPa 175 psi MAX | from 4 to 45°C | 3240 l/hour |
| Atlas Filtri | BIG F PRO | 256 | Water filters and water treatment appliances | 20" twin stage filtration system with 56W UV lamp | POE filter system | 1" BSP | Particulate removal | 1205 kPa 175 psi MAX | from 4 to 45°C | 4200 l/hour |
| Atlas Filtri | BIG F PRO | 267 | Water filters and water treatment appliances | 20" twin stage filtration system with 67W UV lamp | POE filter system | 1" BSP | Particulate removal | 1205 kPa 175 psi MAX | from 4 to 45°C | 5700 l/hour |
| Atlas Filtri | TS 10 BIG SX cartridge | RA5045 | Water filters and water treatment appliances | 10" replacement cartridge - Pleated | Replacement cartridge | N/A | Particulate removal | 1205 kPa 175 psi MAX | from 4 to 45°C | 3240 l/hour |
| Atlas Filtri | CPP 10 BIG SX cartridge | RE57066 | Water filters and water treatment appliances | 10" replacement cartridge - Polyspun meltblown | Replacement cartridge | N/A | Particulate removal | 1205 kPa 175 psi MAX | from 4 to 45°C | 3240 l/hour |
| Atlas Filtri | TS 20 BIG SX Cartridge | RA5047 | Water filters and water treatment appliances | 20" replacement cartridge - Pleated | Replacement cartridge | N/A | Particulate removal | 1205 kPa 175 psi MAX | from 4 to 45°C | 5700 l/hour |
| Atlas Filtri | CPP 20 BIG SX cartridge | RE57069 | Water filters and water treatment appliances | 20" replacement cartridge - Polyspun meltblown | Replacement cartridge | N/A | Particulate removal | 1205 kPa 175 psi MAX | from 4 to 45°C | 5700 l/hour |
| Atlas Filtri | N/A | SENIOR PLUS 3P with FA CA | Water filters and water treatment appliances | 10" x2,5" filtration unit VOC, CTO and sediment reduction | POE filter system | 3/4" BSP | Particulate removal, chlorine, taste and odour reduction | 1205 kPa 175 psi MAX | from 4 to 45°C | 5000 l/hour MAX |
| Atlas Filtri | N/A | MASTER PLUS 3P with FA CA | Water filters and water treatment appliances | 20"x2,5" filtration unit VOC, CTO and sediment reduction | POE filter system | 3/4" BSP | Particulate removal, chlorine, taste and odour reduction | 1205 kPa 175 psi MAX | from 4 to 45°C | 5000 l/hour MAX |
| Atlas Filtri | N/A | DP BIG 10 MONO with CB EC | Water filters and water treatment appliances | 10"x4,5" filtration unit VOC, CTO and sediment reduction | POE filter system | 1" BSP | Particulate removal, chlorine, taste and odour reduction | 1205 kPa 175 psi MAX | from 4 to 45°C | 5700 l/hour MAX |
| Atlas Filtri | N/A | DP BIG 20 MONO with CBEC | Water filters and water treatment appliances | 20"x4,5" filtration unit VOC, CTO and sediment reduction | POE filter system | 1" BSP | Particulate removal, chlorine, taste and odour reduction | 1205 kPa 175 psi MAX | from 4 to 45°C | 5700 l/hour MAX |
| Atlas Filtri | N/A | DP BIG 10 DUO with FA and CB EC | Water filters and water treatment appliances | 10"x4,5" two stage filtration unit VOC, CTO and sediment reduction | POE filter system | 1" BSP | Particulate removal, chlorine, taste and odour reduction | 1205 kPa 175 psi MAX | from 4 to 45°C | 5700 l/hour MAX |

| Brand Name | Model Name | Model ID | Product Type | Product Description | Application | Inlet/Outlet | Classification | Operating Pressure | Operating Temperature | Flow Rate |
|--------------|------------|---------------------------------|--|--|-----------------------|--------------|--|----------------------|-----------------------|-----------------|
| Atlas Filtri | N/A | DP BIG 20 DUO with FA and CB EC | Water filters and water treatment appliances | 20"x4,5" two stage filtration unit VOC, CTO and sediment reduction | POE filter system | 1" BSP | Particulate removal, chlorine, taste and odour reduction | 1205 kPa 175 psi MAX | from 4 to 45°C | 5700 l/hour MAX |
| Atlas Filtri | N/A | HYDRA DUO with CB EC | Water filters and water treatment appliances | 10"x2,5" two stage self cleaning filtration unit VOC, CTO and sediment reduction | POE filter system | 3/4" BSP | Particulate removal, chlorine, taste and odour reduction | 1205 kPa 175 psi MAX | from 4 to 45°C | 5000 l/hour MAX |
| Atlas Filtri | N/A | HYDRA TRIO with FA and CB EC | Water filters and water treatment appliances | 10"x2,5" three stage Self cleaning filtration unit VOC, CTO and sediment reduction | POE filter system | 3/4" BSP | Particulate removal, chlorine, taste and odour reduction | 1205 kPa 175 psi MAX | from 4 to 45°C | 5000 l/hour MAX |
| Atlas Filtri | N/A | CB EC 10 | Water filters and water treatment appliances | Carbon block cartridge - VOC, CTO and sediment reduction | Replacement cartridge | N/A | Particulate removal, chlorine, taste and odour reduction | N/A | from 4 to 45°C | 240 l/hour |
| Atlas Filtri | N/A | CB EC 20 | Water filters and water treatment appliances | Carbon block cartridge - VOC, CTO and sediment reduction | Replacement cartridge | N/A | Particulate removal, chlorine, taste and odour reduction | N/A | from 4 to 45°C | 450 l/hour |
| Atlas Filtri | N/A | CB EC 10 BIG | Water filters and water treatment appliances | Carbon block cartridge - VOC, CTO and sediment reduction | Replacement cartridge | N/A | Particulate removal, chlorine, taste and odour reduction | N/A | from 4 to 45°C | 720 l/hour |
| Atlas Filtri | N/A | CB EC 20 BIG | Water filters and water treatment appliances | Carbon block cartridge - VOC, CTO and sediment reduction | Replacement cartridge | N/A | Particulate removal, chlorine, taste and odour reduction | N/A | from 4 to 45°C | 1620 l/hour |
| Atlas Filtri | N/A | FA 10 CA | Water filters and water treatment appliances | Granular carbon and PP yarn layer - VOC, CTO and sediment reduction | Replacement cartridge | N/A | Particulate removal, chlorine, taste and odour reduction | N/A | from 4 to 45°C | 600 l/hour |
| Atlas Filtri | N/A | FA 20 CA | Water filters and water treatment appliances | Granular carbon and PP yarn layer - VOC, CTO and sediment reduction | Replacement cartridge | N/A | Particulate removal, chlorine, taste and odour reduction | N/A | from 4 to 45°C | 1200 l/hour |
| Atlas Filtri | N/A | FA 10 | Water filters and water treatment appliances | PP yarn layer - Sediment reduction | Replacement cartridge | N/A | Particulate removal | N/A | from 4 to 45°C | 2000 l/hour |
| Atlas Filtri | N/A | FA 20 | Water filters and water treatment appliances | PP yarn layer - Sediment reduction | Replacement cartridge | N/A | Particulate removal | N/A | from 4 to 45°C | 3000 l/hour |
| Atlas Filtri | N/A | FA 10 BIG | Water filters and water treatment appliances | PP yarn layer - Sediment reduction | Replacement cartridge | N/A | Particulate removal | N/A | from 4 to 45°C | 2500 l/hour |
| Atlas Filtri | N/A | FA 20 BIG | Water filters and water treatment appliances | PP yarn layer - Sediment reduction | Replacement cartridge | N/A | Particulate removal | N/A | from 4 to 45°C | 4000 l/hour |

END RECORD

END RECORD



CEO, The IAPMO Group