



Rainsaver MK6

LEADERS IN QUALITY RAIN SAVING SYSTEMS



2017





The MK6 is the **newest innovation** from Bianco Rainsaver that switches between tank water and the mains supply. Not only does it **conserve water**, it's **easy to install** and **requires absolutely no power supply**. Not to mention, each control carries a peace-of-mind **2 Year Rainsaver MK6 Warranty** and **WaterMark approved** components. The Bianco Rainsaver MK6 is **Australian owned** and **designed** so you know it's ideal for Australian home owners.

Control Features

- Proven components
 - Requires no power supply and consumes no electrical energy
 - Designed to operate with pumps and mains up to 1000 kPa (145 psi)
 - Pump flows to 105 l/m, mains flow to 40 l/m (at 500kPa mains)
 - Designed to further save water resources by reducing incoming mains to 200 kPa
 - Requires no weather proofing
 - Can be mounted any distance from the pump underground or inside a tank
 - Completely waterproof - Can be hosed down without the fear of electrocution
 - UV stabilised technopolymer for long life and good looks
 - All Rainsaver MK6 pumps are independently controlled to regulate flows and pressures whilst protecting the pump against voltage fluctuations, loss of water and incorporate a 24 hour automatic pump restart
 - WaterMark approved components for connection to all Town Water supplies. Safe against water borne bacteria, dezincification and lead poisoning
 - No unsightly controller power, water level float cables or the need for a dedicated controller power point
 - Australian owned and designed
- 2 Year Rainsaver MK6 Warranty - Warranty Service is provided at the nearest authorised service agent.



Bianco Rainsaver MK6
Not sold separately





Submersible Pump Packages



RS6-JH8003S2PC20
804710



RS6-JH8003S2PC20
804710



RS6-B42AMPC20
804711



RS6-DIVERTRON1200
804712

Model/Part No	Description
RS6-JH8003S2PC20 804710	Rainsaver MK6 & JH8003S2PC20 High Head Multistage Submersible 800W Clean Water. Automatic. Rainwater/Mains changeover device with separate adjustable auto restart pump controller mounted in stainless steel enclosure. 8 Taps, 295 kPa, 80 L/m, 10m power cable 2 Year Rainsaver MK6 Warranty* AS/NZS4020 Approved for Drinking Water
RS6-JH8003S2PC20BP 804709	Rainsaver MK6 & JH8003S2PC20BP High Head Multistage Waste Water & Drainage 800W Clean Water Automatic. Rainwater/Mains changeover device with separate adjustable auto restart pump controller mounted in galvabond enclosure. 8 Taps, 295 kPa, 80 L/m, 10m power cable 2 Year Rainsaver MK6 Warranty* AS/NZS4020 Approved for Drinking Water
RS6-B42AMPC20 804711	Rainsaver MK6 & BIA-B42AMPC20 High Head Multistage Submersible 550W Clean Water. Automatic. Built in riser. Rainwater/Mains changeover device with separate adjustable auto restart pump controller mounted in stainless steel enclosure. 10 Taps, 320 kPa, 105 L/m, 10m power cable 2 Year Rainsaver MK6 Warranty* AS/NZS4020 Approved for Drinking Water
RS6-DIVERTRON1200 804712	Rainsaver MK6 & DAB-DIVERTRON1200 Multistage technopolymer submersible pump 750W. Electronic pump with auto restart 9 Taps, 470 kPa, 95 L/m, 15m power cable 2 Year Rainsaver MK6 Warranty* AS/NZS4020 Approved for Drinking Water
<p>Note: Taps calculated at 10 L/m Rainsaver MK6 - not for sale separately * Warranty Service is provided at the nearest authorised service agent</p>	



Surface Mounted Pump Packages

Model/Part No	Description
RS6-TECHG60MPCX 804713	Rainsaver MK6 & BIA-TECHG60MPCX Technopolymer 450W Electronic Self Priming Pump with Auto Restart, 5 taps, 370kPa, 55L/m 2 Year Rainsaver MK6 Warranty* Barcode: 9312198858396 Supplied as a kit for assembly AS/NZS4020 Approved for Drinking Water
RS6-INOXG60MPCX 804714	Rainsaver MK6 & BIA-INOXG60MPCX Stainless Steel 450W Electronic Self Priming Pump with Auto Restart, 5 taps, 370kPa, 55L/m 2 Year Rainsaver MK6* Warranty Barcode: 9312198858402 Supplied as a kit for assembly AS/NZS4020 Approved for Drinking Water
RS6-INOX60S2MPCX 804715	Rainsaver MK6 & BIA-INOX60S2MPCX Stainless Steel 600W Electronic Self Priming Pump with Auto Restart, 5 taps, 420kPa, 57L/m 2 Year Rainsaver MK6 Warranty* Barcode: 9312198858419 Supplied as a kit for assembly. AS/NZS4020 Approved for Drinking Water
RS6-JETCOM82MPCI 804717	Rainsaver MK6 & DAB-JETCOM82MPCI Technopolymer 600W Electronic Self Priming Jet Pump with Auto Restart, 6 Taps, 460 kPa, 60 L/m 2 Year Rainsaver MK6 Warranty* Barcode: 9312198858433 Supplied as a kit for assembly AS/NZS4020 Approved for Drinking Water
RS6-INOX90S2MPCX 804716	Rainsaver MK6 & BIA-INOX90S2MPCX Stainless Steel 750W Electronic Self Priming Pump with Auto Restart, 6 taps, 460kPa, 68L/m 2 Year Rainsaver MK6 Warranty* Barcode: 9312198858426 Supplied as a kit for assembly. AS/NZS4020 Approved for Drinking Water
RS6-BHM5-6MPCX 804718	Rainsaver MK6 & BIA-BHM5-6MPCX Stainless Steel 1300W Multistage Electronic Pump with Auto Restart, 10 Taps, 560 kPa, 105 L/m 2 Year Rainsaver MK6 Warranty* Barcode: 9312198858440 Supplied as a kit for assembly. AS/NZS4020 Approved for Drinking Water
Note: Taps calculated at 10 L/m Rainsaver MK6 - not for sale separately * Warranty Service is provided at the nearest authorised service agent	





Surface Mounted Pump Packages

Rainsaver MK6 PRO High Pressure Powered by iPRESS

**RS6-iINOX90S2
804720**

Rainsaver MK6 & BIA-iINOX90S2
Stainless Steel 750W Electronic Self Priming Pump with
Auto Restart, start at 3 bar, 6 taps, 460kPa, 68L/m
2 Year Rainsaver MK6 Warranty*
Barcode: 9312198858464
Supplied as a kit for assembly.
AS/NZS4020 Approved for Drinking Water

Note: Taps calculated at 10 L/m
Rainsaver MK6 - not for sale separately
* Warranty Service is provided at the nearest authorised service agent



**BIANCO
PUMPZ
SERIES 2**

RS6-iINOX90S2
804720





The BIA-IPRESSPRO is a pump controller and rainwater/mains changeover kit suitable for a range of pumps.

The IPRESSPRO combines a 300 kPa high pressure BIA-RAINSAVERMK6-300 and a BIA-IPRESS preset to 320 kPa start for high performance RAINSAVER systems.

The BIA-IPRESSPRO can be fitted to pumps up to 2.2 kW, pressures to 9.8 bar and flows to 120 l/m.

The BIA-IPRESSPRO also suits the aftermarket where previous systems need replacement.

Construction Characteristics

- Real time indication of system pressure displayed on LED display
- Automatic restart
- German approved food grade materials
- Housing PA66 reinforced Nylon



WaterMark



The RAINSAVERMK6 is an Automatic Rainwater / Mains Water Changeover Device designed to provide automatic mains back up for Pressure Pump supply systems.

The RAINSAVERMK6 is designed to be installed in conjunction with a Pressure Pump supply system that is fitted with an independent pressure and flow controller with loss of prime protection and 24 hour auto restart.

Rainsaver MK6 General Specifications:

Maximum water temperature (mains + pump): 40°C

Maximum recommended continuous pump flow: 120 l/m

Maximum recommended pump pressure: 1000 kPa

Maximum recommended mains inlet pressure: 1000 kPa

No need for float switch.

The BIA-iPRESS is a device used to control electric 240V pumps of 2.2kW or less.

The iPRESS is the first electric pump controller with a fully adjustable cut in (start) pressure of between 0.5-6.0 bar and a cut out (stop) pressure of between 0.8-9.8 bar.

The iPRESS has the ability to operate as either a standard auto restart pressure controller (start pressure to be set) or an automatic restart loss of prime pressure switch (start and stop pressure to be set).

Auto Restart Function

When the pump loses prime it will stop working after 20 seconds then restart after 10 seconds and runs for 40 seconds and then stops. Then after 10 seconds runs for another 40 seconds after which if no water is available the pump will turn off for 24 hours repeating the process every 24 hours until water is available.



Available from your Rainsaver MK6 Range dealer:

WHITE INTERNATIONAL PTY LTD

60 Ashford Ave Milperra NSW 2214
PO Box 304 Milperra NSW 2214
Phone 02 9783 6000 Fax 02 9783 6001
Customer Service 1300 783 601
Email Sales: pumpsales@whiteint.com.au

www.whiteint.com.au

**Please always refer to our website for further
technical information & new product innovations**

*Disclaimer: Every effort has been made to publish the correct details in this brochure.
No responsibility will be taken for errors, omissions or changes in product specifications.*

WHITE INTERNATIONAL NZ LTD

15G Kerwyn Avenue
East Tamaki, Auckland 2013, New Zealand
Phone 09 579 9777 Fax 09 579 7775
Customer Service 0800 509 506
Customer Service Fax 0800 804 344
Email Sales: sales@whiteint.co.nz

www.whiteint.co.nz



WHITE™
INTERNATIONAL

Download a PDF copy of this brochure

