

# ROSS™ Nailers



- 🌀 EXCEPTIONAL VALUE
- 🌀 PROFESSIONALLY ENGINEERED
- 🌀 HIGH DURABILITY
- 🌀 TESTED TO OVER 300,000 SHOTS



**ROSSAIR**

## ROSS<sup>®</sup> Nailer Specifications



### Power and Performance

Ross innovative pneumatic nailers and staplers are ideal for the professional tradesman who requires performance beyond normal expectations.

Each model is tested to over 300,000 shots.

Harnessing the power and safety of compressed air, Ross nailers enable building projects to be completed efficiently and effectively. Hardened heat-treated quality components and precision engineering ensures a high level of problem-free performance.

This broad range includes brad nailers and staplers, finishing nailers, coil nailers and high-powered clipped-head framing nailers.

Features include: multi directional exhaust ports to direct air away from the operator and work surface, one-piece piston and PTFE "O" ring for prolonged life, tool-free depth gauge for accurate setting, nail low indicators and a whole lot more. All Ross nailers shown here come with a three year warranty.



**32MM BRAD  
NAILER**



**50MM BRAD  
NAILER**



**2 IN 1 COMBO  
NAILER  
STAPLER**



**65MM COIL  
NAILER**

#### 32MM BRAD NAILER

Part Number	RAN32
Air Inlet	Male Nitto Style Fitting
Air Working Pressure	60–110psi (4–7bar)
Max Pressure	8.3bar (120psi)
Nail Size	18 Gauge, 15–32mm, type C1
Magazine Capacity	100 nails
Weight	1.35kg (2.97lbs)

Comfort grip – Adjustable exhaust – Quick jam release – Depth control – Non mark tip – Smooth magazine mechanism – Single or bump fire.

#### 50MM BRAD NAILER

Part Number	RAN50
Air Inlet	Male Nitto Style Fitting
Air Working Pressure	70–110psi (4.8–7bar)
Max Pressure	8.3bar (120psi)
Nail Size	18 Gauge, 15–50mm, type C1
Magazine Capacity	100 nails
Weight	1.45kg (3.19lbs)

Comfort grip – Adjustable exhaust – Quick jam release – Depth control – Non mark tip – Smooth magazine mechanism – Single or bump fire.

#### 2 IN 1 COMBO NAILER STAPLER

Part Number	RAN5040
Air Inlet	Male Nitto Style Fitting
Air Working Pressure	70–110psi (4.8–7bar)
Max Pressure	8.3bar (120psi)
Nail Size	Brads: 18 Gauge, 15–50mm, type C1 Staples: 5.7mm Crown, 16–40mm
Magazine Capacity	100 nails or staples
Weight	1.5kg (3.3lbs)

Versatile - Comfort grip – Adjustable exhaust – Quick jam release – Depth control – Non mark tip – Smooth magazine mechanism – Single or bump fire.

#### 65MM COIL NAILER

Part Number	RANCN65
Air Inlet	Male Nitto Style Fitting
Air Working Pressure	70–110psi (4.8–7bar)
Max Pressure	8.3bar (120psi)
Nail Size	25–65mm (1" to 2½") 15 Deg. Plastic collated
Magazine Capacity	up to 300 nails
Weight	3.0kg (6.6lbs)

Superb power – Up to 300 Nails - Comfort grip – Adjustable exhaust – Quick jam release – Depth control – Single or bump fire.

# ROSS<sup>TM</sup> Nailer Specifications



**64MM  
FINISHING  
NAILER**

## 64MM FINISHING NAILER

Part Number	RANT64
Air Inlet	Male Nitto Style Fitting
Air Working Pressure	60–100psi (4–7bar)
Max Pressure	8.3bar (120psi)
Nail Size	32–64mm (1¼" to 2½") 16 gauge finishing nails, type C
Magazine Capacity	100 nails
Weight	1.7kg (3.74lbs)

Comfort grip – Adjustable exhaust – Quick jam release – Depth control – Non mark tip – Smooth magazine mechanism.



**64MM 34°  
FINISHING  
NAILER**

## 64MM 34° FINISHING NAILER

Part Number	RANDA64
Air Inlet	Male Nitto Style Fitting
Air Working Pressure	80–120psi (5.5-8bar)
Max Pressure	8.3bar (120psi)
Nail Size	32–64mm (¼" to 2½"), 34° 15 gauge finishing nails, type DA
Magazine Capacity	100 nails
Weight	2.1kg (4.6lbs)

Comfort grip – Adjustable exhaust – Quick jam release – Depth control – Light weight magazine.



**34 DEGREE  
FRAMING  
NAILER**

## 34 DEGREE FRAMING NAILER

Part Number	RAN9034
Air Inlet	Male Nitto Style Fitting
Air Working Pressure	70–110psi (4.8-7bar)
Max Pressure	8.3bar (120psi)
Nail Size	50–90mm 34° clipped head framing nails
Magazine Capacity	80 nails
Weight	3.2kg (7.7lbs)

Comfort grip – Adjustable exhaust - Depth control - Smooth magazine mechanism – Easy jam removal - Single or bump fire.



Email: [sales@jwross.com.au](mailto:sales@jwross.com.au)  
 Phones: 1800 25 1338 (02) 8874 2200  
 Fax: 1800 023595 (02) 8874 2211  
 Web: [www.rosstools.com.au](http://www.rosstools.com.au)  
 A.B.N. 53 002 123 337

All products fully guaranteed against manufacturers defect for 12 months from purchase date unless otherwise stated. The J.W. Ross policy is one of continuous improvement and the company reserves the right to alter designs, colours and specifications without notice.