

Product Range

Marshalltown

For over 130 years Marshalltown has been the preferred supplier of tools for masonry, concrete, plasterboard, plastering, paint, tile, flooring and EIFS tools.







BRICK	6
CONCRETE	12
PLASTER & RENDER	23
FLOORING	32
BAGS	34





WHEN A BETTER **TOOL IS MADE...** MARSHALLTOWN WILL MAKE IT!

In 1890, Jesse and Lester Williams started a small machine shop on East Church Street, repairing bicycles and automobiles, and fulfilling occasional tool orders for local contractors.

One local plasterer asked that they customise some tools for him. The customer was pleased with the improved product and more requests trickled in. The Williams brothers made a few more trowels and put them on the market. Word travelled fast and they began receiving orders from outside of the state.

The men needed more space and they moved in 1902. They built a two-story machine shop, blacksmith shop and automobile shop, as well as a boiler and engine room and office. They began specializing in trowels and referred to that part of business as "Marshalltown Trowel Works."

Marshalltown Trowel changed its name in 2003. The company had long since become more than just a "trowel" supplier and now offers over 7,000 products for professionals and do-ityourselfers in asphalt, brick, concrete, drywall/plasterboard, tile and more. To its customers and others in the industry, the company is known for the best tools and it is known by one name - MARSHALLTOWN.

The Williams brothers began over 130 years ago and MARSHALLTOWN is now one of the largest tool manufacturers in the world. MARSHALLTOWN continues making major improvements to its infrastructure, manufacturing, and distribution processes to ensure that it can continue to serve its customers well for the next 130 years.



Moved to a larger space to keep up with increasing orders.

1909

Marshalltown embarked on its first large marketing Canada.

1930

At this time, Marshalltown was the largest exclusive manufacturer of masonrv tools in the world.

1990's

Marshalltown was the first company to put a soft-grip handle on a construction tool, thereby revolutionising the hand tool industry.

2018

MARSHALLTOWN acquired Spin Screed®, the world's first lightweight power roller screed, continuing to help contractors produce flatter, more durable concrete surfaces.

1902

campaign across US &

2019

MARSHALLTOWN continued to grow. The new building addition in Marshalltown, IA, was completed.

2021 and beyond...

MARSHALLTOWN is committed to making improvements to its infrastructure, manufacturing, and distribution processes to ensure that it can continue to serve its customers well into the future



Jesse and Lester Williams started a small machine shop. Word of their customised tools spread rapidly.

1905

1890

Officially named "Marshalltown Trowel Company."

1918

Marshalltown sent 18,000 trowels overseas to the US Army during the World Wars. Impressed by the tool quality, unprecedented European orders flooded in.



Marshalltown formed its subsidiary, "Marshalltown Tools," and began production in its new facility in Fayetteville, AR.

2003

The company had long since grown to be more than just a "trowel" supplier. To reflect that, Marshalltown Trowel Company changed its name to MARSHALLTOWN.

2019

Marshalltown Product Brochure 2021 | 3

MARSHALLTOWN

expanded its line of

flooring, tiling, siding, and insulation shears and tools

by acquiring Bullet Tools.



HANDLE VARIATIONS

LEATHER



Double the amount of leather rings as the competition

Handle design allows for a bumper and finger guard

Burnished finish gives an authentic, natural leather feel

Aluminium ring locks the leather rings in place and makes for a smooth transition between the leather rings and the bumper

Handle base will not shrink or swell, ensuring a tight fit between the handle and the leather rings

DURASOFT

In the early 1990's, Marshalltown was the first company to put a soft grip on a construction tool

All of Marshalltown's $\mbox{DuraSoft}^{\mbox{\scriptsize $\$$}}$ handles feature a unique black plastic core for added strength

The "brick red" outer soft-grip material provides the ultimate in user comfort

Provides a soft feel, reduces fatigue and offers excellent durability

DURACORK



The DuraCork $\ensuremath{^{\text{TM}}}$ handle is a soft grip handle made of a composite overmold material

The composite mixture includes fine pieces of cork. This results in the handle being textured, as well as tacky to provide a better grip

Provides a better grip than other handles on the market

SOFTGRIP

The SoftGrip handle provides increased comfort and ergonomics over a standard plastic or wood handle

Durable construction

Designed for repeated use but priced for the Do-It-Yourselfer



WOOD HANDLE



Traditional hardwood handle

Timber provides a classic natural finish to the handle

Lightweight for comfortable use

PLASTIC

Patented back in 1930, the plastic handle was the first of its kind that was moulded on to the brick trowel to prevent twisting

Does not swell







PHILADELPHIA PATTERN

Philadelphia pattern trowels are better suited for laying block because they allow for more mortar to be placed on the blade.



LONDON PATTERN

London pattern trowels are the standard blade type for laying brick.



WIDE LONDON PATTERN

Wide London pattern trowels can be used for laying brick or block. The rounded heel places the mortar further forward on the blade than the Philadelphia pattern trowels.

When you purchase a MARSHALLTOWN® Brick Trowel there are no surprises

No other brick trowel manufacturer can match MARSHALLTOWN's commitment to providing consistent quality. It all starts with our steel; a proprietary formula developed for the unique requirements of a brick trowel. We take our steel and carefully forge and heat treat it into brick trowels by using state of the art equipment that we have developed and refined into a unique factory dedicated to making the best brick trowels in the world.

Our handle rise is always set at precisely the same angle. We hold extremely tight tolerances on blade thickness to maintain consistent flexibility and strength on every trowel we sell.

We precisely maintain blade chemistry and hardness to guarantee that your trowel will perform better than expected. This all means that every single MARSHALLTOWN brick trowel we make is great. Most manufacturers can make a few good brick trowels, and maybe even one or two great ones. But they also make bad trowels, and you have to suffer through those bad trowels to get the few good ones. Choosing a MARSHALLTOWN brick trowel means that you choose to get a great brick trowel every time, so there are no surprises.



APPRENTICE BRICKLAYER TOOL KIT



LONDON PATTERN TROWEL



- Forged from a single piece of high carbon steel, then heat treated for strength and durability •
- Handle rise is set for the correct hang and balance
- Blade is taper ground and polished
- Impact area is stronger

Item	Part No.	Size (mm)	Size (In)	Handle
805086	MT33L12XH	305 x 130	12 x 5 1⁄8	Leather
805486	MT33L13XH	330 x 137	13 x 5 ¾	Leather
506448	MT33/13FGXH	330 x 137	13 x 5 ¾	DuraSoft

MT33/13FGXH

NEW



- Forged from a single piece of high carbon steel, then heat treated for strength and durability
- Handle rise is set for the correct hang and balance
- Blade is taper ground and polished
- Impact area is extra strong

Item	Part No.	Size (mm)	Size (In)	Handle
511138	MT34/11FG	279 x 146	11 x 5 ¾	DuraSoft
506451	MT34/12FGXH	305 x 146	12 x 5 ¾	DuraSoft
506456	MT34P12XH	305 x 146	12 x 5 ¾	Plastic
805084	MT34L12XH	305 x 146	12 x 5 ¾	Leather
808376	MT3412DCXH	305 x 146	12 x 5 ¾	DuraCork



WIDE LONDON PATTERN TROWEL

- Durable construction
- Perfect for projects of any size
- Designed for repeated use but priced for the Do-It-Yourselfer

Item	Part No.	Size (mm)	Size (In)	Handle
510805	MTBTSG12WL	305 x 146	12 x 5 ¾	SoftGrip



M PHILADELPHIA PATTERN TROWEL

- Forged from a single piece of high carbon steel, then heat treated for strength and durability
- Blade is taper ground and polished
- Handle rise is set for the correct hang and balance
- Impact area is extra strong

Item	Part No.	Size (mm)	Size (In)	Handle
506440	MT19/11FG	279 x 140	11 x 5 ½	DuraSoft
506442	MT19/12FGXH	305 x 152	12 x 6	DuraSoft
506444	MT19P12XH	305 x 152	12 x 6	Plastic
805085	MT19L12XH	305 x 152	12 x 6	Leather
NEW 808375	MT1912DCXH	305 x 152	12 x 6	DuraCork



- Durable construction
- Perfect for projects of any size
- Designed for repeated use but priced for the Do-It-Yourselfer

Item	Part No.	Size (mm)	Size (In)	Handle
510804^	MTBTSG12P	305 x 152	12 x 6	SoftGrip





GAUGING TROWEL

The MARSHALLTOWN Gauging Trowel is a versatile masonry tool built to help you gauge, mix, and apply specific quantities of quick-setting mortar or plaster to any wall or surface. Its distinct V-shaped back and broad rounded tip are forged from a single piece of high carbon steel for enhanced durability and performance.

- · Forged from a single piece of high carbon steel
- Carefully taper ground and polished
- Many uses, including mixing or "gauging" small quantities of mortar or quick setting plaster
- Resilient DuraSoft® handle with integral finger guard

Item	Part No.	Size (mm)	Size (In)	Handle
506482	MT48DH	178 x 86	7 x 3 ¾	DuraSoft



GAUGING TROWEL

- Durable construction
- · Perfect for mixing or gauging small quantities of quick setting plaster
- Designed for repeated use but priced for the Do-It-Yourselfer

Item	Part No.	Size (mm)	Size (In)	Handle
506550^	MTGTSG735	178 x 86	7 x 3 ¾	SoftGrip





MARGIN TROWEL



The MARSHALLTOWN Margin Trowel's slim flat-nosed design helps you easily level and spread mortar and fits into those tight places where a larger pointed trowel won't fit.

- Forged from a single piece of high carbon steel
- Tempered, ground, and polished for flexibility and durability
- Resilient DuraSoft[®] handle with integral finger guard

Item	Part No.	Size (mm)	Size (In)	Handle
NEW 506488	MT52D	127 x 51	5 x 2	DuraSoft
NEW 506489	MT54D	127 x 38	5 x 1 ½	DuraSoft
NEW 506494	MT58D	203 x 51	8 x 2	DuraSoft

M PHILADELPHIA POINTING TROWEL

POINTING TROWEL



The MARSHALLTOWN Pointing Trowel is ideal for filling small cavities and repairing crumbling mortar joints.

- Forged from a single piece of high carbon steel for unsurpassed strength
- Tempered, ground, and polished for flexibility and durability
- Resilient DuraSoft® handle with integral finger guard

Item	Part No.	Size (mm)	Size (In)	Handle
506476	MT45/6DH	152 x 70	6 x 2 ¾	DuraSoft

- Durable construction
- Perfect for projects of any size
- Designed for repeated use but priced for the Do-It-Yourselfer

Item	Part No.	Size (mm)	Size (In)	Handle
506606	MTPTSG525	127 x 64	5 x 2 ½	SoftGrip

- The Tuck Pointer offers excellent durability and reduces fatigue
 - Forged from one piece of high carbon steel
- Tapered for the required sturdiness and correct flexibility
- High shank and high lift give plenty of hand room
- Resilient DuraSoft[®] handle with integral finger guard

Item	Part No.	Size (mm)	Size (In)	Handle
NEW 506483	MT503D	165 x 6	6 ½ x ¼	DuraSoft
NEW 506484	MT504D	172 x 8	6 ¾ x ⁵ ⁄16	DuraSoft
506485	MT505D	172 x 10	6 ¾ x ¾	DuraSoft



Our contractor-grade QLT Tuck Pointers help tuck mortar between bricks and blocks

- Durable construction
- Perfect for projects of any size
- Designed for repeated use but priced for the Do-It-Yourselfer

Item	Part No.	Size (mm)	Size (In)	Handle
506629^	MTTPSG38	152 x 10	6 x 3⁄8	SoftGrip





WINYL GROUT BAG

MARSHALLTOWN Grout Bags allow you to fill joints between all brick, block, and stonework.

• Made of a seamless black vinyl and come with a 10mm (%") metal tip

Item	Part No.	Size (mm)	Size (In)	Description
804146	MTGB692	305 x 610	12 x 2	With Metal Tip
804484	MTRT693	10	3/8	Replacement Tip



DISPOSABLE GROUT BAG

- Great for hard to clean materials
- Trim tip to desired opening
- · Thermally sealed edge and tip to prevent leaks

Item	Part No.	Size (mm)	Size (In)	Quantity
511032	MTDGB661	279 x 533	11 x 21	Box Of 50



240Z BRICK HAMMER

- Forged in one piece from high grade steel
- Perfectly balanced and securely fitted with a comfortable hickory handle
- Designed for breaking, trimming and cleaning brick
- Not intended for striking chisels or metal
- WARNING: Always wear safety goggles when using this tool

	Item	Part No.	Size (mm)	Size (In)	Weight (oz)
NEW	804878	MT601	292	11 ½	24



QUE 200Z BRICK HAMMER

- Solid Steel with SoftGrip handle
- Designed for breaking, trimming and cleaning brick
- Not intended for striking chisels or metal
- WARNING: Always wear safety goggles when using this tool

Item	Part No.	Size (mm)	Size (In)	Weight (oz)
NEW 804359	MTBHS720	279	11	20



MORTAR HOE

Forged from a single piece of carbon steel, MARSHALLTOWN Mortar Hoes are specially designed with circle cut-outs to help you mix mortar to the right consistency. The tool's steel head is also shaped with rounded corners that are ideal for mixing mortar in a wheelbarrow or mortar pan.

- Steel ferrule riveted to one piece forged carbon steel head
- Has a heavy duty 457mm (18") hardwood handle with sturdy "D" grip

Item	Part No.	Blade-mm	Blade-In
506419	MT14281	121 x 178	4 ¾ x 7





BARREL JOINTER



- Barrel jointer set includes four popular sizes of changeable hardened steel barrels 13, 16, 19, and 22mm (½, ½, ¾ and ½") adding a smooth look to the joint
- Threaded barrels are easy to change •

Item	Part No.	Size (mm)	Size (In)	Description
506525	MTBJ850	13-22	1/2 — ⁷ /8	Barrel Jointer
506607	MTRB851	13	1/2	Replacement Barrel
506608	MTRB852	16	5/8	Replacement Barrel
506609	MTRB853	19	3/4	Replacement Barrel
506610	MTRB854	22	7/8	Replacement Barrel

BRICK JOINTER



Built with high carbon steel, this product is designed for different joint sizes on each end to give you the best variety on the job. • Made from high carbon steel

The MARSHALLTOWN Brick Jointers smooth joints between bricks.

- Each end is a different joint size
- 267mm (10 1/2") length •

Item	Part No.	Size (mm)	Size (In)
506512	MT80	13 x 16	1/2 & 5/8
506513	MT81	19 x 22	34 & ⁷ /8
506514	MT82	16 x 19	⁵ /8 & 34
506516	MT83	10 x 13	3/8 & 1/2

- Shaped from hardened acrylic material
- Will not mark or discolour mortar
- Durable and lightweight •
- Ideal for work with glass block
- 292mm (111/2") length

Item	Part No.	Size (mm)	Size (In)
506507^	MT75	10	3/8
506509	MT76	13	1/2
506510	MT77	16	5/8
511031	MT78	19	3⁄4

BALL JOINTER



- The ball jointer generates very smooth and reliable lines
- Ball head allows for consistent joints from every angle •
- Compact design easily fits into pockets •
- Two joint sizes in one: 13mm and 16mm (1/2" and 5%")

Item	Part No.	Size (mm)	Size (In)
510806	MTBBJ1258	13 x 16	1/2 & 5/8



JOINT RAKER

- Easily removes excess mortar from between bricks
- Large 44mm (1 ¾") skate wheels
- Strong Aluminium handle is contoured to fit the hand and squared off at the end
- Hardened nail, adjusts to proper depth to clean out joints

Item	Part No.	Size (mm)	Size (In)	Handle
506519	MT89	44	1 3⁄4	216 x 76mm



MINI – LIGHTWEIGHT LINE LEVEL

- Ensures you always have a level line to follow during all masonry projects
- Break resistant reversed line hooks for positive hold
- Lightweight design eliminates line sag

Item	Part No.	Size (mm)	Size (In)
511029	MT16554	159	6 1⁄4



MASONRY BRUSH

- Each of the white Tampico fibre bristles are securely set into the hardwood block
- Clean brick, block, concrete, and stonework
- 89mm (3 1/2") bristles

Item	Part No.	Size (mm)	Size (In)
506515	MT829	165 x 44	6½ x 1 ¾



RUB BRICK

- Ideal for dressing down and removing form marks from concrete or cleaning brick
- 20-grit silicon carbide surface

Item	Part No.	Size (mm)	Size (In)	Description
506430	MT16533	152 x 25	6 x 1	Round with Handle
506517	MT841	203 x 89 x 38	8 x 3 ½ x1 ½	Fluted with Handle



MT16533

MT841


QUED RUB BRICK

- Ideal for dressing down and removing marks from concrete or cleaning brick
- Fluted 20-grit silicon carbide surface

Item	Part No.	Size (mm)	Size (In)	Description
511490	MTRB192	152 x 76 x 25	6 x 3 x 1	Fluted with Handle







- Outside cinching straps are perfect for holding 1200mm levels, darbies, long trowels, and brooms (not included)
- Multiple pockets hold a variety of finishing tools

Item	Part No.	Description
NEW 808387	MTBFKIT19	1219mm Round End Bullfloat, Rock-It 2.0 bracket & 4 x 1829mm 44mm dia poles

POINTED TROWEL

Marshalltown has listened to the Australian market after feedback from our customers, and has designed a range of Pointed Trowels specifically suited to our Australian market.

- Perfect for general concrete work and getting into corners and around obstacles in form-work
- The pointed trowel helps to eliminate drag marks
- Carbon Steel Blade with the right amount of flexibility at the pointed tip for a great feel when using the trowel
- Ergonomic SoftGrip handle to ensure comfortable all day use

Item	Part No.	Size (mm)	Size (In)	Handle
NEW 808370	MTPFT14-DS	102 x 356	4 x 14	SoftGrip
NEW 808371	MTPFT145-DS	121 x 368	4 ¾ x 14 ½	SoftGrip
NEW 808372	MTPFT16-DS	114 x 406	4 ½ x 16	SoftGrip
NEW 808373	MTPFT18-DS	114 x 457	4 ½ x 18	SoftGrip
NEW 808374	MTPFT20-DS	114 x 508	4 ½ x 20	SoftGrip



CONCRETE





W PERMASHAPE[®] BROKEN-IN GOLDEN STAINLESS FINISHING TROWELS



CONCRETE

- Apprentice finishers can do a better job and be more productive sooner
- Broken-in shape eliminates line and ripple marks right from the start
- Bevelled work edges prevent surface aggregate popping •
- PermaShape® guarantees trowel will maintain original broken-in shape
- Highest grade hardened and tempered golden stainless properly shaped and fastened with stainless steel rivets
- Aluminium alloy Xtralite® mounting is lightweight but very strong
- Resilient DuraSoft® handle provides a soft feel, reduces fatigue and offers excellent durability
- · Can be used to add texture or to smooth any concrete or EIFS surface

Item	Part No.	Size (mm)	Size (In)	Handle
506598	MTPB1GSD	279 x 114	11 x 4 ½	DuraSoft
511160	MTPB7GSD	305 x 127	12 x 5	DuraSoft
511104	MTPB13GSD	330 x 127	13 x 5	DuraSoft
511105	MTPB145GSD	356 x 127	14 x 5	DuraSoft

GOLDEN STAINLESS FINISHING TROWEL



- Highest grade hardened golden stainless steel blade, properly shaped
- Aluminium alloy Xtralite® mounting is lightweight but very strong
- Available in your choice of resilient DuraSoft or grippy DuraCork handle
- Add texture to or smooth any EIFS surface

	Item	Part No.	Size (mm)	Size (In)	Handle
	506575	MTMXS13GSD	330 x 127	13 x 5	DuraSoft
IEW	806149	MTMXS13GSDC	330 x 127	13 x 5	DuraCork
	506588	MTMXS73GSD	356 x 121	14 x 4 ¾	DuraSoft
JEW	806150	MTMXS73GSDC	356 x 121	14 x 4 ¾	DuraCork
	506584	MTMXS66GSD	406 x 102	16 x 4	DuraSoft
JEW	806151	MTMXS66GSDC	406 x 102	16 x 4	DuraCork
	511162	MTMXS165GD	406 x 127	16 x 5	DuraSoft
IEW	806152	MTMXS165GDC	406 x 127	16 x 5	DuraCork
	506595	MTMXS815GD	457 x 127	18 x 5	DuraSoft
IEW	806153	MTMXS815GDC	457 x 127	18 x 5	DuraCork
	506577	MTMXS205GD	508 x 127	20 x 5	DuraSoft
NEW	806154	MTMXS205GDC	508 x 127	20 x 5	DuraCork



STAINLESS STEEL FINISHING TROWEL

- Cast Aluminium mounting
- Tempered, polished steel blade
- Square shank prevents handle from turning

MTFT124SS

Item 506546

Part No. Size (mm)

 Size (mm)
 Size (In)
 Handle

 305 x 102
 12 x 4
 SoftGrip



CARBON STEEL FINISHING TROWEL

- Cast Aluminium mounting
- Tempered, polished steel blade
- Square shank prevents handle from turning

Item	Part No.	Size (mm)	Size (In)	Handle
506547	MTFT144	356 x 102	14 x 4	SoftGrip
506548	MTFT164	406 x 102	16 x 4	SoftGrip



IM ROUND FRONT FINISHING TROWEL

Rounded Front Finishing Trowels give you the capability to use both a rounded and square edge trowel. The rounded side decreases the chance of leaving a groove and the square is perfect for edge work, both leading to a quality finish in your concrete.

- Highest grade hardened and tempered spring steel blade, properly shaped
- Aluminium alloy Xtralite[®] mounting is lightweight but very strong

Item	Part No.	Size (mm)	Size (In)	Handle
804382	MTMXS64RED	356 x 102	14 x 4	DuraSoft
804383	MTMXS66RED	406 x 102	16 x 4	DuraSoft
NEW 511206	MTMXS81RED	457 x 102	18 x 4	DuraSoft
NEW 804384	MTMXS20RED	508 x 102	20 x 4	DuraSoft

M HIGH CARBON STEEL POOL TROWEL

- Highest grade hardened and tempered spring steel blade, properly shaped
- Short Aluminium alloy Xtralite® mounting is lightweight but very strong
- Blade is flexible enough to conform to almost any radius

Item	Part No.	Rivets	Size (mm)	Size (In)	Handle
805353	MTSP10SD	3	254 x 76	10 x 3	DuraSoft
805354	MTSP12SD	5	305 x 89	12 x 3 ½	DuraSoft
805355	MTSP14SD	6	356 x 102	14 x 4	DuraSoft

GOLDEN STAINLESS STEEL POOL TROWEL

- Highest grade hardened and tempered golden stainless steel blade, properly shaped and fastened with stainless steel rivets
- Short Aluminium alloy Xtralite® mounting is lightweight but very strong
- Blade is flexible enough to bend to almost any radius
- Your choice of resilient DuraSoft or tacky DuraCork handles

	Item	Part No.	Rivets	Size (mm)	Size (In)	Handle
	506621	MTSP10GSD	3	254 x 76	10 x 3	DuraSoft
NEW	806155	MTSP10GSDC	3	254 x 76	10 x 3	DuraCork
	506622	MTSP12GSD	5	305 x 89	12 x 3 ½	DuraSoft
NEW	806156	MTSP12GSDC	5	305 x 89	12 x 3 ½	DuraCork
	506623	MTSP14GSD	6	356 x 102	14 x 4	DuraSoft
NEW	806157	MTSP14GSDC	6	356 x 102	14 x 4	DuraCork
NEW	510808	MTSP16GSD	8	406 x 115	16 x 4 ½	DuraSoft









ADAPTOR

- Adapts from a clevis type fitting on a fresno to push button allowing the use of all of our push button handles
- Suits 35mm (1 ³/₈") and 44mm (1 ³/₄") **Item Part No.**

Item NEW 808390

MT4818

WEI PUSH BUTTON HANDLE SECTIONS

- Constructed of thick-walled Aluminium tubing
- Heat-treated, lightweight
- Quick connect snap spring positively locks handles in place
- Swaged connection style
- Powder coated
- WARNING: When using handle extensions, always avoid contact with electrical power lines or any electrical source

ltem	Part No.	Colour	Size (mm)	Size (In)	Diameter
506436	MT17-6ASU	Blue	1829	72	35mm (1 3⁄8")
506613	MTRED790276	Red	2438	96	44mm (1 ¾")

OCTAGON HANDLE

- Octagon profile provides an edged surface, greatly increasing grip
- Comfortable grip allows for slip resistance, even with wet or sweaty hands
- Increased grip strength by an average of 20%
- Constructed from ribbed Aluminium tubing
- Blue powder coating prevents oxidation from discolouring hands
- Insert style handle with quick connect snap spring
- Internal ribs increase points of contact between handles and reduce sag
- WARNING: When using handle extensions, always avoid contact with electrical power lines or any electrical source

Item	Part No.	Colour	Size (mm)	Size (In)	Diameter
804468	MTOCT072	Blue	1829	72	44mm (1 ¾")



SWAGED OCTAGON HANDLE

- Octagon profile provides an edged surface, greatly increasing grip
- Comfortable grip allows for slip resistance, even with wet or sweaty hands
- Increased grip strength by an average of 20%
- Constructed from ribbed Aluminium tubing
- · Anodized Aluminium prevents oxidation from discolouring hands
- Swaged style handle with quick connect snap spring
- Swaged design with tight tolerances reduces swag

 Item
 Part No.
 Colour
 Size (mm)
 Size (ln)
 Diameter

 NEW
 808388^
 MTSWOCTO72
 Grey
 1829
 72
 44mm (1 ¾")

I ROCK-IT 2.0 BULLFLOAT ADAPTOR

- Allows multi-angle floating
- · Enables use with extension handles for extremely long ranges
- Full pitch controlled by half turn of handle
- Fits all magnesium bull floats without adapter plates
- Fits all push button handles 35mm (1 ³/₈") and 44mm (1 ³/₄") without any additional adapters

ItemPart No.Suits804488MTBF935/44mm Dia Push Handles



-



CONCRETE

MTRED790276



MARSHALLTOWN	CONCRETE					
🖾 ALL ALUMII	NIUM PLACER					
		Braced	eight Aluminium for additional s m (60") long ha	trength	oowder coate	d finish
and a		Item 506522	Part No. MTAP753F	Size (mm) 495 x 95	Size (In) 19 ½ x 3 ¾	Description Without Hook
🕅 ALL ALUMII	NIUM OPEN ANGLE PULL CRETE					
	Open Angle Design	BracedDurableHandle	ight Aluminium for additional s powder coate measures 1524 ngled blade for	trength d handle 4 x 35mm (60 >		d finish
		Item 511045	Part No. MTRED70015	Size (mm) 8 495 x 102	Size (In) 19 ½ x 4	Description Without Hook
A "THE HOG"	MAGNESIUM HAND FLOAT					
		HandleRecoministication	ade covers mo is secured with mended for use table handle is Part No. MT738D MT740D	torque pad so with air entrai	rews that will ned concrete	not back out
	END MAGNESIUM HAND FLOAT					
	170	Our mcRecomMagnes	ed from very har ost popular float mended for use sium floats proc table handle is	: design e with air entrai duce a smoothe	ned concrete er finish than v	wood
-		Item 506421 506424 506426	Part No. MT142D MT145D MT146D	Size (mm) 305 x 79 406 x 79 508 x 79	Size (In) 12 x 3 ½ 16 x 3 ½ 20 x 3 ½	Handle DuraSoft DuraSoft DuraSoft
CAST MAG	NESIUM HAND FLOAT					
		DesignetCast co	om the finest ma ed with just the onstruction allow ent of the hand	right broken-in vs more knuck	le clearance	ance
		Item 805166	Part No. MT148D	Size (mm) 406 x 79	Size (In) 16 x 3 ½	Handle DuraSoft

- Designed with just the right broken-in shape
- Cast construction allows more knuckle clearance
- Placement of the handle gives the float perfect balance

Item	Part No.	Size (mm)	Size (In)	Handle
805166	MT148D	406 x 79	16 x 3 1⁄8	DuraSoft



- Extruded from very hard, durable, lightweight magnesium
- Fully rounded ends help prevent float marks
- Comfortable handle is positioned to give the tool perfect balance
- Magnesium floats produce a smoother finish than wood
- Handles are secured with torque pad screws that will not back out

Item	Part No.	Size (mm)	Size (In)	Handle
506422	MT143D	406 x 79	16 x 3 1⁄8	DuraSoft



CONCRETE

REDWOOD HAND FLOAT

- Made from clear, seasoned redwood, 19mm (3/4") thick
- Primarily used for levelling and smoothing concrete prior to final finish
- Also ideal when a slightly rougher concrete finish is desired
- The MT144D float has a beveled front edge

Item	Part No.	Size (mm)	Size (In)	Handle
506474	MT44D	305 x 127	12 x 5	DuraSoft
506423	MT144D	406 x 89	16 x 3 ½	DuraSoft



STAINLESS STEEL BLADE SIDES UP FLOATS

- Long-wearing stainless steel blade
- Intended for hand-floating concrete pads
- Great for working in colour hardeners

Item	Part No.	Size (mm)	Size (In)	Handle
506498	MT6746	150 x 255	5 % x 10	DuraSoft
506499^	MT6747	130 x 285	5 ½ x 11 ¼	DuraSoft

CONCRETE MESH ROLLER TAMPER

- Ideal tool for embedding exposed aggregate
- Quickly levels slab and prepares it for final finish
- Fully assembled
- Dual adapter (included) allows use with any of our push button handles (sold separately – see page 17)

Item	Part No.	Size (mm)	Size (In)
NEW 506624 [^]	MTT459	914	36
NEW 506625 [^]	MTT460	1219	48






CHAMFER STAINLESS STEEL HAND EDGER

- Blade is made of heavy gauge stainless steel
- Used to produce a bevel at the edge of a concrete slab to help prevent the edge from chipping

Iter	n	Part No.	Size (mm)	Size (In)	Lip	Handle
NEW 511	399	MT479CH	152 x 152	6 x 6	13mm (½")	DuraSoft
506	480	MT483CH	152 x 152	6 x 6	19mm (¾")	DuraSoft





CONCRETE

CURVED END HAND EDGERS



- Available in stainless steel with a sturdy mounting welded to the blade
- Both ends are curved up for use in either direction •
- Used to produce a radius at the edge of a concrete slab to help prevent the edge from chipping
- Curved ends help prevent edger from digging into wet concrete

Item	Part No.	Size (mm)	Size (In)	Radius	Lip	Handle
506411	MT136SSD	152 x 76	6 x 3	10mm (¾")	13mm (½")	DuraSoft
506427	MT155SSD	152 x 102	6 x 4	6mm (1/4")	10mm (%")	DuraSoft
506428	MT156SSD	152 x 102	6 x 4	10mm (%")	13mm (½")	DuraSoft
506416	MT138SSD	152 x 102	6 x 4	13mm (½")	16mm (5⁄8")	DuraSoft

STAINLESS STEEL SAFETY STEP HAND EDGER/GROOVER



٠	Used to cut four grooves, 19mm (3/4") apart and 6mm (1/4") deep
	and an edge radius of 13mm $(1/2")$

• Creates a safety tread effect on steps

Item	Part No.	Size (mm)	Size (In)	Radius	Lip	Handle
506469	MT4280D	152 x 127	6 x 5	13mm (1/2")	16mm (%")	DuraSoft

STRAIGHT END HAND EDGERS



• Made of stainless steel with a sturdy mounting welded to the blade Used to produce a radius at the edge of a concrete slab to help . prevent the edge from chipping

Item	Part No.	Size (mm)	Size (In)	Radius	Lip	Handle
506429	MT164SSD	152 x 108	6 x 4 ¼	6mm (¼")	10mm (¾")	DuraSoft
506432	MT165SSD	152 x 115	6 x 4 ½	10mm (¾")	13mm (½")	DuraSoft
506433	MT166SSD	152 x 110	6 x 4 1⁄3	13mm (½")	16mm (5⁄%")	DuraSoft
506439	MT188SSD	203 x 152	8 x 6	13mm (½")	16mm (5⁄8")	DuraSoft

QUITIES CURVED END HAND EDGER



٠	Made from carbon steel with a sturdy mounting welded to the blade
•	Used to produce a radius at the edge of a concrete slab to help

prevent the edge norm chipping						
Item	Part No.	Size (mm)	Size (In)	Radius	Lip	Handle
511491	MTHESG63	152 x 76	6 x 3	10mm (3/8")	13mm (½")	SoftGrip

STAINLESS STEEL HAND EDGERS WITH /ADJUSTABLE GROOVER



٠	Made of heavy	16 gauge	e stainless steel
---	---------------	----------	-------------------

- Blade size is 356 x 127mm (14 x 5")
- Ideal for creating decorative borders in fresh concrete •
- Designed to accept all Fresno groover attachments •
- Bronze groover is adjustable and tightens with two thumbscrews

Part No.	Size (mm)	Size (In)	Edger Radius	Bit Depth	Groover #	Handle
MT3488D	356 x 127	14 x 5	10mm (¾")	13mm (½")	7554	DuraSoft



ALL ANGLE WALKING EDGER

- Made of 16 gauge stainless steel
- Slightly convex blade to prevent gouging
- Durable materials and construction mean these edgers will last
- All-angle swivel attachment included
- Helps eliminate bending when edging large areas of concrete

 Item
 Part No.
 Size (mm)
 Size (ln)
 Radius
 Lip

 506410[^]
 MT125
 229 x 152
 9 x 6
 13mm (½")
 16mm (%")



STAINLESS STEEL HAND GROOVER

- Blade made of stainless steel with sturdy steel mounting
- Properly shaped bit and leading edge cut a sharp groove

Item	Part No.	Size (mm)	Size (In)	Radius	Width	Depth	Handle
805360^	MT180D	152 x 76	6 x 3	6mm (1/4")	13mm (½")	13mm (½")	DuraSoft



• Durable steel blade construction

Item	Part No.	Size (mm)	Size (In)	Radius	Width	Depth	Handle
511492^	MTHGSG63	152 x 76	6 x 3	6mm (1/4")	13mm (½")	10mm (¾")	SoftGrip



STAINLESS STEEL ROCKER GROOVER

- Groover blade has a slight bow which gives this tool a "rocker" effect
- Made of heavy gauge stainless steel and strengthened by a stiffening strip
- Powder coat finish

Item	Part No.	Size (mm)	Size (In)	Radius	Depth	Handle
506438	MT1790D	152 x 89	6 x 3 ½	6mm (1/4")	13mm (½")	DuraSoft



M HEAVY DUTY ZINC HAND GROOVERS

- Made from high quality, long wearing zinc
- Smooth finish allows for easier clean-up
- · Finely finished to cut sharp clean grooves

Item	Part No.	Size (mm)	Size (In)	Radius	Width	Depth	Handle
511196^	MT833D	152 x 111	6 x 4 ¾	6mm (1/4")	10mm (3/8")	13mm (½")	DuraSoft
511197^	MT834D	152 x 111	6 x 4 ¾	6mm (1/4")	10mm (3/8")	19mm (¾")	DuraSoft
511198^	MT835D	152 x 111	6 x 4 ¾	6mm (1/4")	10mm (3/8")	25mm (1")	DuraSoft



MARSHALLTOWN	CONCRETE		
GLI FLOOR SC	CRAPER		
		Blade is spring steelMetal ferule connects 1372mm (54") wood handle	
		Item Part No. Size (mm) Size (In) Handle Ler 506611 MTRED700855 559 22 1372mm	
🥮 REBAR BE	NDER		
		 Bends rebar up to 16mm (⁵/s") thick 	
-	R	ItemPart No.Size (mm)Size (In)DescripV805524MT1473986434Bends up to 1	
2			
🥮 REBAR LII	FTER		
		 Comfortable rubber dipped handle Used to position rebar or mesh while pouring concrete 813mm (32") reach minimises bending over 	
		Item Part No. Size (mm) Size (In) Har	ndle r Dipped
MONSTER P	PRY BAR	All steel construction ensures long life	
		 All steel construction ensures long life Powder coated finish 1422mm (56") length gives enough leverage for even the tougi Ideal for prying forms and other embedded objects 	lhest jobs
		Item Part No. Size (mm) Size (In) Fin	nish dercoat
TWO-HEAD	ED MONSTER PRY BARS	Cives the best loverage pessible and both have a 90 dear	
		 Gives the best leverage possible and both have a 90-degree for extra leverage All steel construction ensures a long life Powder-coated finish 	ee nedu
	And a state of the	Item Part No. Size (mm) Size (In) Fin NEW 808385 MT10058 1168 46 Powda	hish lercoat lercoat

CONCRETE

MAND TAMPER

- Used to flatten and smooth dirt, stone, asphalt, and other materials
- 254mm (10") rubber grip for a better hold •
- Cast iron base •
- 1219mm (48") steel handle with a 254mm (10") rubber grip •
- Ideal for decorative concrete applications

Item Part No. Size (mm) Size (In) Description NEW 806014^ MTHT10 254 x 254 10 x 10 Steel Handle with Rubber Grip



MEAVY DUTY TIE WIRE TWISTER

- Compact size allows the tool to be used in tight spaces
- · Safely and easily twists looped wire bar ties
- Durable design

Item	Part No.	Description
NEW 804362	MT14171	Heavy Duty



QUET TIE WIRE REEL

- · Accommodates all types of tie wire
- Fits any standard size belt

Item NEW 506630^

Part No. MTTWR19 Material

Aluminium









M PROSKIM[™] SKIMMING SPATULA



- Perfect for plaster rendering and smoothing plasterboard compound
- 0.3mm stainless steel (INOX) blade provides a smooth finish and blade flex
- Comfortable, non-slip contoured plastic handle
- · Edge guard protects blade in transit and storage
- Use Skimming Spatula bracket and Skimming Spatula extension handle to smooth ceilings and tall walls (sold separately – see below)
 Preferred tool for skim coating level 5 plasterboard finish

	5	
Part No.	Size (mm)	Size (In)
MTSKIM60	600	24
MTSKIM80	800	31 ½
MTSKIM100	1000	40
	MTSKIM60 MTSKIM80	MTSKIM60 600 MTSKIM80 800

SKIMMING SPATULA BRACKET

SKIMMING SPATULA HANDLE



Quickly clamps onto the blade

• Fits the MARSHALLTOWN ProSkim™

• All-angle bracket allows you to choose and set your preferred blade angle

Item NEW 808383

NE

Part No. MTSKIMBRKT Suits Skim60, Skim80, Skim100



- Handle is lightweight and adjustable up to 1900mm (75")
- Pair with the quick clamping handle bracket, sold separately

	Item	Part No.	Size (mm)	Size (In)
W	808384	MTSKIM1-2M	1000-1900	39-75

e (In) Description 1-75 Telescopic





Permashape Flat

PermaShape[©]

Guarantees trowel will maintain original flat shape

Golden Stainless Steel Blade

Withstands pressure of hard troweling



Guaranteed to stay flat use after use

- Made from highest grade stainless steel
- Properly shaped and tempered to a golden finish
- Withstands pressure of hard-troweling
- Flat blade makes applications easier with more consistent finish

MARSHALLTOWN knows that the blade will wear away. But assuming the blade is used to smooth cementitious material and is not harmed in any other way, MARSHALLTOWN also knows the blade will maintain its shape throughout it's life.

GUARANTEED TO NEVER LOSE ITS SHAPE

A PERMASHAPE® "FLAT" GOLDEN STAINLESS

- The MARSHALLTOWN PermaShape[®] Finishing Trowel guarantees that your trowel will maintain its shape while ensuring a professional quality finish to any EIFS project.
- Add texture to or smooth any concrete or EIFS surface
- Guaranteed to stay flat use after use
- Made from highest grade stainless steel
- Properly shaped and tempered to a golden finish
- Withstands pressure of hard-troweling
- Flat blade makes applications easier with more consistent finish

	Item	Part No.	Size (mm)	Size (In)	Handle
NEW	511161	MT7GSFPD	305 x 127	12 x 5	DuraSoft
	506417	MT13GSFPD	330 x 127	13 x 5	DuraSoft
	506425	MT145GSFPDXH	356 x 127	14 x 5	DuraSoft
	510905	MT165GSFPD	406 x 127	16 x 5	DuraSoft

HIGH CARBON STEEL FINISHING TROWEL

- Highest grade hardened and tempered spring steel blade, properly shaped
- Aluminium alloy Xtralite[®] mounting is lightweight but very strong
- Bevelled work edges prevent surface aggregate popping
- Add texture to or smooth any concrete or EIFS surface

Choice of resilient DuraSoft or smooth natural finish hardwood handle

Item	Part No.	Size (mm)	Size (In)	Handle
506581	MTMXS3D	279 x 121	11 x 4 ¾	DuraSoft
506580	MTMXS3	279 x 121	11 x 4 ¾	Wood
506587	MTMXS73DH	356 x 121	14 x 4 ¾	DuraSoft
506589	MTMXS73H	356 x 121	14 x 4 ¾	Wood
506583	MTMXS66D	406 x 102	16 x 4	DuraSoft
506594	MTMXS77DH	457 x 114	18 x 4½	DuraSoft
506576	MTMXS205D	508 x 127	20 x 5	DuraSoft
506578	MTMXS245D	610 x 127	24 x 5	DuraSoft

Disclaimer: Every effort has been made to publish the correct details in this brochure. No responsibility will be taken for errors, omissions or changes in product specifications.



"Flat" along the long edge of the trowel – the corners of the trowel do actually curve up to reduce drag lines when trowelling and reduce gouging.





MIDGET TROWEL



Aluminium alloy Xtralite[®] mounting is lightweight but very strong MT11SSD is a stainless steel blade

Item	Part No.	Size (mm)	Size (In)	Handle
506407	MT11D	203 x 76	8 x 3	DuraSoft
506408	MT11SSD	203 x 76	8 x 3	DuraSoft

- The MARSHALLTOWN PermaShape[®] Finishing Trowel guarantees that your trowel will maintain its shape while ensuring a professional quality finish to any EIFS project.
 - Add texture to or smooth any concrete or EIFS surface
 - Guaranteed to stay flat use after use
 - Made from highest grade stainless steel
 - Properly shaped and tempered
- Withstands pressure of hard-troweling
- Flat blade makes applications easier with more consistent finish

Item	Part No.	Size (mm)	Size (In)	Handle
506465	MT3SSFPD	279 x 121	11 x 4 ¾	DuraSoft
506418	MT13SSFPD	330 x 127	13 x 5	DuraSoft
506505	MT73SSEPDXH	356 x 121	14 x 4 3/	DuraSoft

- Flexible blade bonded to a stiff backing plate
 - Allows for easier application of finish coat plaster, plasterboard compound and EIFS
 - Blade made from the highest grade stainless steel
 - Aluminium Xtralite[®] mounting is lightweight but very strong
 - Backing blade thru-riveted to mounting for superior hold strength and flatness
 - Rounded corners create less drag lines

	Item	Part No.	Size (mm)	Size (In)	Handle
NEW	804934	MTPF12D	305 x 110	12 x 4 ⁵ ⁄16	DuraSoft
	804935	MTPF13D	330 x 110	13 x 4 ⁵ ⁄16	DuraSoft
	804936	MTPF14D	356 x 110	14 x 4 ⁵ ⁄16	DuraSoft
	804937	MTPF16D	406 x 110	16 x 4 ⁵ ⁄16	DuraSoft
	804938	MTPF18D	457 x 110	18 x 4 ⁵ ⁄16	DuraSoft

PERMASHAPE® DURAFLEX TROWEL



- PermaShape® guarantees trowel will maintain original flat shape
- Flat, yet flexible thinner blade makes applications easier with more consistent finish
- Great for EIFS applications
- Highest grade, hardened and tempered, golden stainless steel blade, properly shaped and fastened with stainless steel rivets
- Withstands pressure of hard-troweling

Part No.	Size (mm)	Size (In)	Mounting	Handle
MT4681DFDL	330 x 127	13 x 5	248mm (9 ¾")	DuraSoft
MT4471DFD	356 x 127	14 x 5	248mm (9 ¾")	DuraSoft
MT4473DFD	406 x 127	16 x 5	295mm (11 ⁵ ⁄8")	DuraSoft

PERMASHAPE

PERMASHAPE® "FLAT" STAINLESS STEEL

"Flat" along the long edge of the trowel – the corners of the trowel do actually curve up to reduce drag lines when trowelling and reduce gouging.

▶ PERMAFLEX™ TROWELS

MARSHALLTOWN

STAINLESS STEEL TROWEL

- Highest grade hardened and tempered bright or golden stainless steel blade, properly shaped
- Aluminium alloy Xtralite® mounting is lightweight but very strong
- Choice of resilient DuraSoft® or smooth natural finish hardwood handle

Item	Part No.	Size (mm)	Size (In)	Handle
510909	MTMXS3SSDH	279 x 121	11 x 4 ¾	DuraSoft
506590	MTMXS73SDH	356 x 121	14 x 4 ¾	DuraSoft
506593	MTMXS73SSH	356 x 121	14 x 4 ¾	Wood
506585	MTMXS66SSD	406 x 102	16 x 4	DuraSoft
506579	MTMXS25SSD	508 x 127	20 x 5	DuraSoft



QUE PLASTIC TEXTURING TROWEL

- Made of durable plastic for long wear
- The mounting is permanently bonded to the blade
- The bottom of the blade is smooth so it will not mark the surface while troweling
- · Resilient handle feels soft and is comfortable to use
- Won't rust or corrode, easy to clean

Item	Part No.	Size (mm)	Size (In)	Handle
NEW 805752	MTPTT668	279 x 140	11 x 5 ½	Plastic



ALUMINIUM HAWKS

- Made of heavy gauge hard-rolled Aluminium
- Edges have been smoothed and the corners rounded
- Has a threaded 92mm (3 $^{5}\!/_{8}")$ flange handle and sponge rubber callus preventer included

Item	Part No.	Size (mm)	Size (In)	Handle
506495	MT5D	305 x 305	12 x 12	DuraSoft
506445	MT1D	330 x 330	13 x 13	DuraSoft
506501	MT6D	356 x 356	14 x 14	DuraSoft



MAGNESIUM HAWKS

- Lightweight durable Magnesium Hawk material
- Score marks are machined to a uniform depth and specially shaped to help the blade remain flat
- Has a threaded 92mm (3 ⁵/₈") flange sponge rubber callus preventer and handle included

Item	Part No.	Size (mm)	Size (In)	Handle
NEW 506486	MT5206D	330 x 330	13 x 13	DuraSoft
NEW 506487	MT5208D	356 x 356	14 x 14	DuraSoft





M SCARIFIER						
Imme		securely The ligh grip har This too	/ to create à sti itweight, yet sti idle. I makes scratch	rong finish. urdy, steel sca ning undercoa	arifier has a	he topcoat will bond a comfortable soft- its 6mm (1/4") wide,
	NE	76mm (a Item 1808391	Part No. MT722	blue steel tine Size (mm) 203		ightweight and sturdy. (In) Handle SoftGrip
M DURASOFT® HANDLE PUTTY AND JOINT KN	IVES					
мтјк886D		possibleSolid ha	9	ion and high	carbon ste	most comfortable grip eel blade ensures the
MTF	K878D		ed EMPACT ha d handle desig		d for quick	, effective hammering
	Item 506602 506603 506618 506553	Part No. MTPK877D MTPK878D MTSK882D	Description Flex Putty Knife Flex Putty Knife Flex Scraper Flex Joint Knife		1 ½ 2 4	Handle DuraSoft Empact End DuraSoft DuraSoft Empact End DuraSoft Empact End
C. DuraSoft	506555	MTJK886D	Flex Joint Knife	152	6	DuraSoft Empact End
Marshalliown D. DuraSoft Empact End						
STAINLESS STEEL PUTTY AND JOINT KNIVES	5					
suffrance of		Heat tre hardnes	duty stainless s eated, hardened ss throughout t g through the h	d and temper he blade	red; annea	led for an even
		Next ge grip pos	eneration ergor ssible	nomic design		e most comfortable «, effective hammering
	Item	Part No.	Descriptior	n Size (mm)) Size (In)	
	506601 506617	MTPK764SSD MTSK880SSD	Flex Putty Knif Flex Scraper	e 51 76	2 3	DuraSoft Empact End DuraSoft Empact End
	506619	MTSK882SSD	Flex Scraper	102	4	DuraSoft Empact End
	506554	MTJK884SSD	Joint Knife	127	5	DuraSoft Empact End
© SOFTGRIP FLEX JOINT KNIVES	506556	MTJK886SSD	Joint Knife	152	6	DuraSoft Empact End
		•	urbon steel blac			
MTFJK6HH	/		Ŭ			Handle
		Item 506542	Part No. MTFJK4HH	Size (mm) 102	Size (In) 4	Handle SoftGrip Empact End
		506543	MTFJK5HH	127	5	SoftGrip Empact End
M	TFJK4HH	506544	MTFJK6HH	152	6	SoftGrip Empact End
MAGNESIUM FEATHEREDGE						
		the insid	de corner angle	es.		bat and square up
	Made of lightweight magnesium for long-wearing and has an extrusion shape, allowing for a comfortable finger grip.				nger grip.	
				Ū.		your thumb and palm.
	N	Item 511169	Part No. MT5758	Size (mm 2438 x 115	-	(ft)
		Disalai	r: Even: offert bee l	haan mada ta	blick the err	root dotailo in this buschur-

28 | Marshalltown Product Brochure 2021 A Special Order Only

KNOCKDOWN KNIFE

- Blades made of GE Lexan®
- Threaded DuraSoft® handle with metal ferrule and hanging hole

 Drying time reduced when used for texturing 						
Item	Part No.	Size (mm)	Size (In)	Handle		
510910	MTKD24	610	24	DuraSoft		



NYLON HANDLE STEEL PUTTY AND JOINT KNIVES

- High Carbon Steel blade is heat treated, hardened and tempered; annealed for an even hardness throughout the blade
- Full tang through the handle
- Smooth black polyethylene handle resistant to virtually all chemicals and solvents
- Weighted handle accommodates our heavier blades for perfect balance
- All 76mm (3") blades have a 5° angle

Item Part No. Description Size (mm) Size (In)

Handle

nom	i artito.	Description			Turfuic
506567	MTM5753	Flex Joint Knife	127	5	Polyethylene Empact End
506568	MTM5763	Flex Joint Knife	152	6	Polyethylene Empact End
506561	MTM5303	Flex Scraper	76	3	Polyethylene
506566	MTM5743	Flex Scraper	102	4	Polyethylene Empact End

DURASOFT® BLUE STEEL TAPING KNIVES

- · Premium tempered blue steel blade with Aluminium backing plate
- Blade is tapered so you can run corners faster and easier
- Blade flexes just right for feathering but won't take a set
- Resilient DuraSoft[®] handle provides a soft feel, reduces fatigue and offers excellent durability

Item	Part No.	Size (mm)	Size (In)	Handle
506457	MT3508D	203 x 76	8 x 3	DuraSoft
506459	MT3510D	254 x 76	10 x 3	DuraSoft
506461	MT3512D	305 x 76	12 x 3	DuraSoft
506463	MT3514D	356 x 76	14 x 3	DuraSoft

SOFTGRIP BLUE STEEL TAPING KNIVES

- Flexible blue spring steel blade
- Tapered blade lets you get close to the corner
- One of the most lightweight taping knives on the market
- Comfortable SoftGrip is securely moulded to an Aluminium backing plate
- Resilient DuraSoft[®] handle provides a soft feel, reduces fatigue and offers excellent durability

Item	Part No.	Size (mm)	Size (In)	Handle
506527	MTBSTK8	203 x 76	8 x 3	SoftGrip
506526	MTBSTK12	305 x 76	12 x 3	SoftGrip

W DURASOFT[®] STAINLESS STEEL TAPING KNIVES

- Tempered premium stainless steel blade with Aluminium backing plate
- Tapered blade flexes just right for feathering but won't take a set
- Resilient DuraSoft[®] handle provides a soft feel, reduces fatigue and offers excellent durability

Item	Part No.	Size (mm)	Size (In)	Handle
506458	MT3508SD	203 x 76	8 x 3	DuraSoft
506460	MT3510SD	254 x 76	10 x 3	DuraSoft
506462	MT3512SD	305 x 76	12 x 3	DuraSoft
506464	MT3514SD	356 x 76	14 x 3	DuraSoft





Marshalltown Product Brochure 2021 | 29

A Special Order Only





EIFS STAINLESS STEEL INSIDE CORNER TROWELS



- Lightweight tool made from one piece of 108mm (4 ¼") long stainless steel
- Has a 90° angle between the blades
- Resilient DuraSoft® handle with integral finger guard
- Designed to be used with the outside corner trowels for finishing decorative details

Item	Part No.	Size (mm)	Size (In)	Handle
506492	MT5786D	25	1	DuraSoft
506493	MT5788D	51	2	DuraSoft

EIFS STAINLESS STEEL OUTSIDE CORNER TROWELS



STAINLESS STEEL INSIDE CORNER TROWEL



- Lightweight tool made from one piece of 108mm (4 ¼") long stainless steel
- Has a 90° angle between the blades
- Resilient DuraSoft® handle with integral finger guard
- Designed to be used with the inside corner trowels for finishing decorative details

Item	Part No.	Size (mm)	Size (In)	Handle
506490	MT5767D	25	1	DuraSoft
506491	MT5769D	51	2	DuraSoft

- Lightweight tool made from one piece of flexible stainless steel with Aluminium mounting
- Blade set at a 103° angle that flexes to form a perfect 90° corner during use
- Resilient DuraSoft® handle with finger guard
- Used to embed tape and smooth out the final layer of mud to taped corners

Item	Part No.	Size (mm)	Size (In)	Handle
506446	MT23D	102 x 127	4 x 5	DuraSoft

INSIDE CORNER TROWEL



- Formed from a single piece of stainless steel
- Blade flexes to form a perfect 90 degree angle
- Used to embed tape and smooth out the final layer of mud to taped corners

Item	Part No.	Size (mm)	Size (In)	Handle
506538^	MTCT911	102 x 127	4 x 5	SoftGrip

OUTSIDE CORNER TROWEL



- Lightweight tool made from one piece of flexible stainless steel
- Blade is set at an 80° angle that flexes during use to 90° to form a clean square outside corner

Item	Part No.	Size (mm)	Size (In)	Handle
511493^	MTOS751	127 x 95	5 x 3 ¾	Plastic Handle

SHARPSHOOTER® 1 HOPPER GUN

- Specially formulated nylon gun
- Seven orifice sizes with tubular design for reduced over-spray and . greater texture variety
- Knurled knobs let you adjust the orifice plate without wrenches
- Tight sealing flow shut-off prevents leakage
- 45° Angled hopper adapter allows hopper to remain level while • spraying floors and ceilings
- Gun features a handy air control valve which allows flow control at the gun instead of at the pump
- Easy pull swing trigger for greater control and less fatigue
- Adjustable trigger stop for consistency of pattern
- Hopper with seamless corner design eliminates material build-up . and reduces clogging
- Plastic hopper capacity is approximately 7.57 litres (2 gallons)

Item	Part No.	Description	Includes
NEW 506500	MT693	Sharpshooter 1 Hopper + Gun	45° Adaptor Kit

M SHARPSHOOTER[®] 1 REPAIR KIT

- For use with SharpShooter 1 •
- Contains: Orifice Plate, Centre Knob, Knurled Knob, Rubber boot, Trigger, E-clip, Transfer bar and Nozzle

Item Part No. 506615 MTRK696

SHARPSHOOTER® 2.1 HOPPER GUN

- Adjustment knob allows a full trigger pull at any spray setting
- Tick marks located on both sides of gun to indicate knob setting
- Seven orifice sizes with tubular design for reduced over spray and greater texture variety
- Knurled knobs let you adjust the orifice plate without wrenches
- Tight sealing flow shut-off prevents leakage
- 45° Angled hopper adapter allows hopper to remain level while spraying floors and ceilings
- Gun features a handy air control valve which allows flow control at the gun instead of at the pump
- Hopper with seamless corner design eliminates material build-up and reduces clogging
- Plastic hopper capacity is approximately 7.57 litres (2 gallons)

Part No. Item 804390 MTSS21

Description Sharpshooter 2.1 Hopper + Gun

Includes 45° Adaptor Kit

SHARPSHOOTER® 2.1 REPAIR KIT

- ٠ For use with SharpShooter 2.0 and SharpShooter 2.1
- Contains: Trigger, E-clip, Rubber Boot, Adjustment Knob, Orifice Plate, Mix Nozzle, Centre Knob, Replacement Cap

Item Part No. 803456^ MTSS20RK

MOPPER GUN STAND

- Stabilizes hopper gun when on a solid surface
- One person easy loading
- Made of zinc plated steel rod ٠

Item	Part No.	Description
506552	MTHS634	Zinc Plated Steel Sharpshooter Hopper G

Zinc Plated Steel Sharpshooter Hopper Gun Stand MTHS634













SPONGE FLOAT					
	 Fine cell yellow foam pad specially bonded to an Aluminium backing plate Wears well and does an excellent job on any sand surface Pad is 28mm (1 ¹/₈") thick 				
	Item Part No. Description Size (mm) Size (ln) 506472 MT4412 Float Yellow 305 x 127 12 x 5 506473 MT4419 (6/Bag) For MT4412 Float 305 x 127 12 x 5				
© CORNER ROLLER					
	 For use with all corner joint compound and plasterboard mud applications Replaceable acrylic cover with "lambs wool" texture 305mm (12") threaded handle 				
NEW	Item Part No. Size (mm) Size (In) 506535 MTCR3 76 3				
SQUARE END MUD MASHER					
	 Heavy gauge steel 127 x 140mm (5 x 5 ½") mixing head Plated to resist rust Metal ferrule is securely attached to the head 				
MAR	ItemPart No.Size (mm)Size (ln)Handle803457^MT891127 x 1405 x 5 ½Hardwood				
BUCKET DIPPERS	Galvanized steel construction				
MTBD863	 Scoop mud directly on trowel or hawk Bucket hanging clip for less mess and easy storage Soft grip handle for increased grip and less fatigue 				
MTBD862	Item Part No Size (mm) Size (ln) Size-Oz. Size-L 804495 [^] MTBD863 305 x 184 12 x 7 ¼ 30.3 0.6 804360 [^] MTBD862 332 x 181 13 ¼ 6 x 7 ⅛ 33.8 1				
A PANEL LIFTER					
	 Non-slip chequered surface provides foot traction Self-righting feature makes it ready for use without fumbling Tapered front end slides easily under the board; then it lifts and holds it in place while nailing 				
	Item Part No. Size (mm) Size (ln) 506511 MT790 305 x 133 12 x 5 ¼				

32 | Marshalltown Product Brochure 2021 A Special Order Only

FLOORING

٧N



MTBLADE13

FLOORING SHEAR

- Cuts luxury vinyl tile and plank, laminate, engineered wood and MORE!
- Allows you to cut inside with no dust
- Cuts material up to 25mm (1") thick
- Easy, quiet one-cut action
- Built in ruler for accurate cuts

		le fence for 90° a			-	
	Rated	to cut flooring wit	:h a Janka ha	ardness of u	p to 1300	
NEW	Item 808377 808378 808379	Part No. MTFS13 MTBLADE13 MTEXTHANDLE	Size (mm) 330 330 330 x 32	Size (In) 13 13 3 x 1 ¼"	Description Flooring Shear 330mm Replacement Blade Replacement Handle	MTEXTHANDLE
		\$			MTFS13	
			KANNI	LIOWA		
		1				
					P	



FLOORING


TILE GROUTER'S FLOATS



- Pure gum rubber face is bonded to the dense rubber pad;
 cemented to an Aluminium backing plate with a smooth handle
- Edges are bevelled and the two front corners are rounded
- Dense rubber pad is designed specifically for tile grouting
- 43BC has an offset handle for base/cove work

Item	Part No.	Size (mm)	Size (In)
506470	MT43	229 x 102	9 x 4
506471	MT43BC	305 x 76	12 x 3

TILE GROUT SCRUBBING SPONGE



- Yellow grout sponge on one side to wipe off excess grout from joints
- White scrubber side to remove grout haze and stubborn mortar colours

Item	Part No.	Size (mm)	Size (In)
506628	MTTLW	165 x 114 x 54	6 ½ x 4 ½ x 2 ½



TILE GROUT SPONGES



•	Used to	wipe off	excess	grout fror	n joints
---	---------	----------	--------	------------	----------

• Rounded corners to prevent digging out or marring joints

Item	Part No.	Size	Size (mm)	Size (In)
506627	MTTGSL	Large	165 x 108 x 54	6 ½ x 4 ¼ x 2 ½
506626	MTTGS1	XL	184 x 130 x 57	7 ¼ x 5 ½ x 2 ¼





MYLON TOOL BAG – MEDIUM

- Durable, double-layer water-resistant nylon with a reinforced bottom panel
- Has 6 multi-purpose inside pockets, 6 outside pockets and 6 outside web pockets

Padded handles and adjustable shoulder strap

Item	Part No.	Size (mm)	Size (In)
NEW 506596	MTNB202	508 x 216 x 343	20 x 8 ½ x 13 ½



TOTE BAG HOLDS BULLFLOAT

- Holds your Bull Float, Bracket, and Poles in one convenient bag
- Make sure you have everything in one easy-to-carry bag

Item	Part No.	Description	
NEW 808389 [^]	MTTOTE	Brackets to carry up to 4 Poles	

*Tools not included

SUPER BUCKET BAG

- Can be slipped over a standard 18.9 Litre (5 Gallon) bucket to organize your tools with its water-resistant nylon material
- Includes 33 exterior pockets, a covered pocket with Velcro closure, 14 interior pockets, a key chain lobster claw clasp, a tape loop, and a hammer loop
- Organize and transport tools for tile, plasterboard, wallpaper, or even gardening
- Water-resistant nylon material

Item	Part No.	Features
NEW 804771 [^]	MT10847	48 Pockets



*Tools not included



WHITE INTERNATIONAL PTY LTD

60 Ashford Ave Milperra NSW 2214 PO Box 304 Milperra NSW 2214 Phone 02 9783 6000 Fax 02 9783 6001 Customer Service 1300 780 876 Email Sales: tradesales@whiteint.com.au

www.whiteint.com.au

Please always refer to our website for further technical information & new product innovations

Disclaimer: Every effort has been made to publish the correct details in this brochure. No responsibility will be taken for errors, omissions or changes in product specifications. Product images are representations only.



Scan QR Code on your smart phone or iPad to save a digital version.

